A Group brand | legrand®



High Performance Structured Cabling Products and Solutions

2012|13

PRODUCT CATALOG

ORTRONICS®

TechChoice® Solutions

TechChoice® structured cabling solutions combine the reliability and ease of installation you'd expect from Ortronics® with performance and rugged construction to provide a cost-effective option for communications technicians. Category 5e and 6 products are third party component tested to meet Category 5e and 6 component specifications for TIA/EIA-568-B.2 and ISO11801-2002.

Keystone Jacks & Modules

Faceplates

Patch Panels

Patch Cords

Surface Mount Boxes

Rack Mount Fiber Cabinets

FEATURED PRODUCTS

TechChoice Jacks

P.184

P.184
Keystone
Jacks

P.184
Fiber
Modules

P.185
Multimedia
Modules

P.186
VGA
Faceplates

P.186
Plastic
Faceplates

P.186
Stainless Steel
Faceplates

P.188
Category 6 &
Category 5e
Patch Panels

P.188
Patch
Panel Kit

P.189
Category 6 &
Category 5e
Patch Cords

P.190
Surface
Mount Boxes

P.191
Fiber Splice
Cabinets

TechChoice
Patch Panels
P.188

TechChoice
Fiber Cabinets
P.191

KEYSTONE JACKS & MODULES

TechChoice® keystone jacks and modules feature an easy-to-follow universal wiring label and support standard termination using a 110-impact tool. The keystone footprint allows for the greatest flexibility in installation scheduling because its rear insertion into the faceplate allows the technician to complete the termination before, during and after the construction process.

Keystone Jacks

OR-KS6

OR-KS5E

OR-KSRJ25

OR-KSICON

PART NO. **Single Pack**	PART NO. **Pack of 25**	DESCRIPTION
OR-KS6A	OR-KS6	Category 6, 8-position, T568A/B wiring, icon compatible.
OR-KS5EA	OR-KS5E	Category 5e, 8-position, T568A/B wiring, icon compatible.
OR-KSRJ25A	OR-KSRJ25	RJ25, 6 position jack, USOC wiring, icon compatible
—	OR-KSICON	TechChoice keystone icon, 2 sided voice/data, package of 25

Add tailcode to end of part number (example: OR-KS6-42).
WM indicates Wiremold color match.



-00=Black; -13=Electrical ivory; -36=Blue; -42=Red; -88=White; -99=Wiremold® ivory; -43=Orange; -44=Yellow, -45=Green; -78=Gray. Standard color is fog white, requiring no tail code.

Fiber Keystone Modules

OR-KSST

OR-KSSC

OR-KSLC

OR-KSMTRJ

PART NO.	DESCRIPTION
OR-KSST	1-ST simplex multimode, phosphor-bronze alignment sleeves, 180° exit. Fog white. Sold with dust cover
OR-KSSC	1-SC simplex multimode, phosphor-bronze alignment sleeves, 180° exit. Fog white. Sold with dust cover
OR-KSLC	1-LC (2 fibers) multimode, phosphor-bronze alignment sleeves, 180° exit. Fog white. Sold with dust cover
OR-KSMTRJ	1 MT-RJ (2 fibers) multimode, feed-through, 180° exit, flush. Fog white. Sold with dust cover

NOTE: For Wiremold Ivory, add tail code of -99 to end of part number (example OR-KSST-99). Sold individually.

KEYSTONE JACKS & MODULES

Multimedia Keystone Solutions

OR-KSHDMI

OR-KSSV

OR-KSSVIDC

OR-KSRCAR

OR-KSRCAG

OR-KSRCABL

OR-KSRCAY

OR-KSRCAW

OR-KSRCAB

OR-KS35ST

OR-KS35STST

OR-KS14ST

OR-KSUSBAA

OR-KSUSBAB

OR-KSBP

OR-KSBNC75

OR-KSBNC

OR-KSFCN

OR-KSFCNR

OR-KSB10

PART NO.	DESCRIPTION
OR-KSHDMI	HDMI, female to female, 19pin
OR-KSSV	S-Video to 110
OR-KSSVIDC	S-Video, female to female
OR-KSRCAR	RCA red to 110
OR-KSRCAG	RCA green to 110
OR-KSRCABL	RCA blue to 110
OR-KSRCAY	RCA yellow to 110
OR-KSRCAW	RCA white to 110
OR-KSRCAB	RCA black to 110
OR-KS35ST	3.5mm, stereo jack, female to female
OR-KS35STST	3.5mm, stereo jack, female to screw term
OR-KS14ST	1/4″ stereo jack, female to solder
OR-KSUSBAA	USB 2.0 A-A, female to female
OR-KSUSBAB	USB 2.0 A-B, female to female
OR-KSBP	Binding post, set of 2
OR-KSBNC75	BNC 75 ohm, female to female, 75 ohm
OR-KSBNC	BNC 50 ohm, female to female, 50 ohm
OR-KSFCN	F Conn 75 ohm, female to female
OR-KSFCNR	F Conn 75 ohm, recessed, female to female
OR-KSB10	Blank, package of ten

NOTE: Standard color is fog white. For other colors, contact sales.

FACEPLATES

OR-KSFP4V110

VGA Faceplates

VGA Faceplates are available in high impact 94V-0 rated thermoplastic. The single gang version includes one integrated VGA connector. The double gang version includes two VGA connectors.

PART NO.	DESCRIPTION
OR-KSFP4V110	Single-gang, holds four keystones, VGA to 110
OR-KSFP4VFT	Single-gang, holds four keystones, VGA with crimp pins
OR-KSFP8V110	Double-gang, holds eight keystones, two VGA to 110
OR-KSFP8VFT	Double-gang, holds eight keystones, two VGA with crimp pins

NOTE: Standard color is fog white. Add -13 for electrical ivory.

OR-KSFP2

OR-KSSS3

OR-KSFPR2

OR-KSD4

OR-KS106S4

Faceplates

TechChoice® faceplates are available in high impact 94V-0 rated thermoplastic and stainless steel, with a variety of port capacities to match your workstation applications. All faceplates allow for a flush jack finish.

Plastic Faceplates with Label Fields

PART NO.	DESCRIPTION
OR-KSFP1	Single gang, holds one keystone
OR-KSFP2	Single gang, holds two keystones
OR-KSFP3	Single gang, holds three keystones
OR-KSFP4	Single gang, holds four keystones
OR-KSFP6	Single gang, holds six keystones
OR-KSFP8	Dual gang, holds eight keystones
OR-KSFP12	Dual gang, holds 12 keystones

NOTE: Standard color is fog white. Add -13 for electrical ivory, -88 for white or -99 for Wiremold ivory.

Stainless Steel Faceplates with Label Fields

PART NO.	DESCRIPTION
OR-KSSS1	Single gang, holds one keystone
OR-KSSS2	Single gang, holds two keystones
OR-KSSS3	Single gang, holds three keystones
OR-KSSS4	Single gang, holds four keystones
OR-KSSS6	Single gang, holds six keystones
OR-KSSS8	Dual gang, holds eight keystones
OR-KSSS12	Dual gang, holds 12 keystones

Plastic Faceplates without Label Fields

PART NO.	DESCRIPTION
OR-KSFPR1	Single gang with one keystone opening
OR-KSFPR2	Single gang with two keystone openings
OR-KSFPR3	Single gang with three keystone openings
OR-KSFPR4	Single gang with four keystone openings
OR-KSFPR6	Single gang with six keystone openings

NOTE: Standard color is fog white. Add -13 for electrical ivory, -88 for white or -99 for Wiremold ivory.

Plastic Rectangular GFCI & 106 Frames

PART NO.	DESCRIPTION
OR-KSDS2	Stylistic rectangular frame with 2 keystone openings
OR-KSDS3	Stylistic rectangular frame with 3 keystone openings
OR-KSDS4	Stylistic rectangular frame with 4 keystone openings
OR-KS106S2	106 style frame with 2 keystone openings
OR-KS106S4	106 style frame with 4 keystone openings

NOTE: Standard color is fog white. Add -13 for electrical ivory, -88 for white or -99 for Wiremold ivory.

TECHCHOICE® ADAPTERS AND BEZELS

KSLTJA

TechChoice Adapters for Bticino

PART NO.	DESCRIPTION
KSLVJA	Designed to fit Bticino Living faceplates, holds one TechChoice Jack
KSLTJA	Designed to fit Bticino Light faceplates, holds one TechChoice Jack
KSBMAA	Designed to fit Bticino Magic faceplates, holds one TechChoice Jack

TechChoice Adapters for British Standard

PART NO.	DESCRIPTION
KSB6C	6C bezel, holds one TechChoice Jack
KSB6Ce	6Ce bezel, holds one TechChoice Jack

TechChoice Adapters for Bticino

PART NO.	DESCRIPTION
FPMK1TC	45 x 45mm Mosaic bezel, holds one TechChoice Jack

FACEPLATES
Furniture Plates

Furniture Plates

OR-40300630

PART NO.	DESCRIPTION
OR-40300630	Holds four keystones, two-piece base and cover, adjustable to fit a range of common furniture openings (2.67″-2.75″ x 1.34″-1.41″) for 0.065″ thick material

NOTE: Standard color is fog white. Add -00 for black.

PATCH PANELS

OR-SP6U48

OR-SPA6U48

OR-SP5EU24

OR-SPKSU24

OR-SPAKSU48

Patch Panels

24- and 48-port TechChoice® patch panels are available in the traditional multi-port panel format with 6-port modules for Cat 6 and Cat 5e. Patch panel kits are also available to support individual keystone jacks: Cat 6, Cat 5e and multimedia (sold separately).

Category 6 with 6-port modules

PART NO.	DESCRIPTION
OR-SP6U24	24-port, T568A/B, height 1.75″, 1 rack unit
OR-SP6U48	48-port, T568A/B, height 3.5″, 2 rack units

Category 6 angled with 6-port modules

PART NO.	DESCRIPTION
OR-SPA6U24	24-port, angled, T568A/B, height 1.75″, 1 rack unit
OR-SPA6U48	48-port, angled, T568A/B, height 3.5″, 2 rack units

Category 5e with 6-port modules

PART NO.	DESCRIPTION
OR-SP5EU24	24-port, T568A/B, height 1.75″, 1 rack unit
OR-SP5EU48	48-port, T568A/B, height 3.5″, 2 rack units

Category 5e angled with 6-port modules

PART NO.	DESCRIPTION
OR-SPA5EU24	24-port, angled, T568A/B, height 1.75″, 1 rack unit
OR-SPA5EU48	48-port, angled, T568A/B, height 3.5″, 2 rack units

Patch Panel Kit (accepts KS series keystone jacks & modules)

PART NO.	DESCRIPTION
OR-SPKSU24	24-port, height 1.75″, 1 rack unit
OR-SPKSU48	48-port, height 3.5″, 2 rack units
OR-SPAKSU24	24-port, angled, height 1.75″, 1 rack unit
OR-SPAKSU48	48-port, angled, height 1.75″, 2 rack units

PATCH CORDS

OR-SPC5E05-05

OR-SPC607-00

Modular Patch Cords

TechChoice® patch cords offer a slim design for high density applications and come factory terminated with a snagless boot. Each cable is pre-tested for component performance.

Category 6

PART NO. **Single Pack**	PART NO. **10 Packs**	DESCRIPTION
OR-SPCA603-XX	OR-SPC603-XX	Four pair stranded patch cord, PVC length 3ft
OR-SPCA605-XX	OR-SPC605-XX	Four pair stranded patch cord, PVC length 5ft
OR-SPCA607-XX	OR-SPC607-XX	Four pair stranded patch cord, PVC length 7ft
OR-SPCA610-XX	OR-SPC610-XX	Four pair stranded patch cord, PVC length 10ft
OR-SPCA615-XX	OR-SPC615-XX	Four pair stranded patch cord, PVC length 15ft
OR-SPCA625-XX	OR-SPC625-XX	Four pair stranded patch cord, PVC length 25ft

NOTE: Available in the following colors: -XX = -00 Black; -02 Red; -04 Yellow; -05 Green; -06 Blue; -08 Gray; -09 White.
Add tailcode to end of part number (example: OR-SPC603-02).

Category 5e

PART NO. **Single Pack**	PART NO. **10 Packs**	DESCRIPTION
OR-SPCA5E03-XX	OR-SPC5E03-XX	Four pair stranded patch cord, PVC length 3ft
OR-SPCA5E05-XX	OR-SPC5E05-XX	Four pair stranded patch cord, PVC length 5ft
OR-SPCA5E07-XX	OR-SPC5E07-XX	Four pair stranded patch cord, PVC length 7ft
OR-SPCA5E10-XX	OR-SPC5E10-XX	Four pair stranded patch cord, PVC length 10ft
OR-SPCA5E15-XX	OR-SPC5E15-XX	Four pair stranded patch cord, PVC length 15ft
OR-SPCA5E25-XX	OR-SPC5E25-XX	Four pair stranded patch cord, PVC length 25ft

NOTE: Available in the following colors: -XX = -00 Black; -02 Red; -04 Yellow; -05 Green; -06 Blue; -08 Gray; -09 White.
Add tailcode to end of part number (example: OR-SPC5E03-02).

PATCH CORDS
Low Smoke Zero Halogen

OR-SPCZA625M-XX

Low Smoke Zero Halogen Modular Patch Cords

TechChoice® patch cords offer a slim design for high density applications and come factory terminated with a snagless boot. Each cable is pre-tested for component performance.

PART NO. **Single Pack**	PART NO. **10 Packs**	DESCRIPTION
OR-SPCZA610M-XX	OR-SPCZ610M-XX	LSZH patch cord, Cat 6, UTP, 1M
OR-SPCZA615M-XX	OR-SPCZ615M-XX	LSZH patch cord, Cat 6, UTP, 1.5M
OR-SPCZA620M-XX	OR-SPCZ620M-XX	LSZH patch cord, Cat 6, UTP, 2M
OR-SPCZA625M-XX	OR-SPCZ625M-XX	LSZH patch cord, Cat 6, UTP, 2.5M
OR-SPCZA630M-XX	OR-SPCZ630M-XX	LSZH patch cord, Cat 6, UTP, 3M
OR-SPCZA650M-XX	OR-SPCZ650M-XX	LSZH patch cord, Cat 6, UTP, 5M
OR-SPCZA660M-XX	OR-SPCZ660M-XX	LSZH patch cord, Cat 6, UTP, 6M

NOTE: Available in the following colors: -XX = -05 Green; -06 Blue. Add tailcode to end of part number (example: OR-SPCZ610M-05).

SURFACE MOUNT BOXES

OR-KSSMB2

OR-KSSMB4

OR-KSSMB6

Surface Mount Boxes

TechChoice® high impact surface mount boxes accommodate two-, four- or six-port keystone requirements. They are compatible with the Wiremold® Eclipse range of solutions, or can easily be surface installed with supplied screws or double-sided tape. Designation strips and clear covers included.

PART NO.	DESCRIPTION
OR-KSSMB2	Holds two keystones, 2.42″ x 2.18″ x 1.16″
OR-KSSMB4	Holds four keystones, 4.78″ x 3.6″ x 1.14″
OR-KSSMB6	Holds six keystones, 6.76″ x 3.6″ x 1.14″

NOTE: Available in fog white. Product dimensions are listed by length, width and height.

RACK MOUNT FIBER CABINETS

NEW

Ortronics® TechChoice rack mount fiber enclosures are designed to offer an economical solution for fiber patching required in LAN and campus wiring environments. These enclosures are used in conjunction with the Ortronics OFP series adapter panels or Momentum® 2 series cassettes to provide a complete fiber cross connect patching solution.

OR-EC01U-C

OR-EC02U-C

OR-EC03U-C

OR-EC04U-C

NEW

Fiber Patch Cabinets

All enclosures are supplied with internal bend limiting spools, cable management bend limiters, a fixed front cassette/adapter panel mounting bracket and split removable top covers. The enclosures will accept two, six, ten and twelve splice trays per rack unit, respectively. The hardware package also includes rack mount screws and a data label.

PART NO.	DESCRIPTION
OR-EC01U-C	1 rack unit, black, holds three adapter panels, two splice trays and fixed cassette/adapter panel bracket
OR-EC02U-C	2 rack units, black, holds six adapter panels, four splice trays and fixed cassette/adapter panel bracket
OR-EC03U-C	3 rack units, black, holds nine adapter panels, six splice trays and fixed cassette/adapter panel bracket
OR-EC04U-C	4 rack units, black, holds 12 adapter panels, eight splice trays and fixed cassette/adapter panel bracket

OR-EC02U-S

OR-EC04U-S

NEW

Fiber Splice Cabinets

PART NO.	DESCRIPTION
OR-EC02U-S	TechChoice 2U Rack Mount Fiber Splice Enclosure, holds 12 splice trays, black
OR-EC04U-S	TechChoice 4U Rack Mount Fiber Splice Enclosure, holds 32 splice trays, black

A Group brand | legrand®

Europe/Middle East/Africa
Great King Street North
Birmingham, B19 2LF
United Kingdom
Phone: +44.01215.150.669
Fax: +44.01215.150.667

Latin America Headquarters
Montes Urales NO. 715 3er Piso
Col. Lomas de Chapultepec
MEXICO D.F. - C.P. 11000
Phone: +52.55.5201.6450

Asia Pacific Headquarters
125 Eugene O'Neill Drive
New London, CT 06320
Phone: 860.445.3900
Fax: 860.405.2992

ORTRONICS®

Global Headquarters
125 Eugene O'Neill Drive
New London, CT 06320
Phone: 800.934.5432
or 860.445.3900
Fax: 860.405.2992
www.ortronics.com